

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE		PAGE OF PAGES 1 3
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE March 30, 2021	4. REQUISITION/PURCHASE REQ. NO. PR9778975	5. PROJECT NO. (If applicable)	
6. ISSUED BY U.S. Embassy Kyiv 4 Igor Sikorsky St. 04112, Kyiv, Ukraine	CODE		7. ADMINISTERED BY (If other than Item 6) CODE	
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)		x	9a. AMENDMENT OF SOLICITATION NO. 19UP3021Q0010	
			9b. DATED (SEE ITEM 11) March 18, 2021	
			10a. MODIFICATION OF CONTRACT/ORDER NO.	
			10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<p><input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended</p> <p>Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u> 1 </u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>				
12. ACCOUNTING AND APPROPRIATION DATA (If required) Not Applicable				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.			
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)			
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:			
	D. OTHER (Specify type of modification and authority)			
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return <u> </u> copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) This Amendment #0001 is done revise scope of work. Accordingly, SEE NEXT PAGES				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME OF CONTRACTING OFFICER Raj Sriram		
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)	16C. DATE SIGNED February 5, 2021	

1. **The paragraph 2.4 “Replace damaged ceiling tiles and door opening’s angles” is added to Section B as follows:**

2.4 Replace damaged ceiling tiles and door opening’s angles

2.4.1 Replace damaged and stained ceiling tiles throughout the building. The number of damaged tiles provided in the Attachment B.

2.4.2 Replace white plastic angles with stainless steel angles next to each elevator areas.

2.4.3 Replace white plastic angles with aluminum style angles on all door’s and window’s openings. In door openings where angles are absent, new angles need to be installed. The footage of angles provided in the Attachment B.

2. **Numbering of paragraphs 2.4 “Cleaning and Protecting Surfaces”, 2.5 “Supplies and Tools”, and 2.6 “Quality Assurance” is changed as follows (the text remigned unchanged):**

2.5. Cleaning and Protecting Surfaces

2.5.1 Protect all the interior surfaces, floors, doors, furniture, light fixtures, switches, electrical and A/C outlets by plastic and tape to prevent the paint splashes and dust where it should not be. If the paint is applied by spray painting all precautions must be taken to prevent damage due to overspray.

2.5.2 Remove all tools, trash, and debris from the work areas at the end of any workday.

2.5.3 Provide “Wet Paint” signs to protect newly coated finishes.

2.5.4 After completing coating operation, remove and dispose temporary protective wrappings. Clean any occasional paint splashes and dust.

2.6. Supplies and Tools

2.6.1. The contractor shall provide all necessary tools, materials, and equipment to perform the work.

2.6.2. The contractor shall provide either scaffolds or kind of construction site lift to get the top walls of the building to be repainted.

2.6.3. The contractor shall provide all protection materials required for surface protection.

2.6.4. All painting materials will be furnished by the contractor. Paint material containers not displaying manufacturer's product identification are not acceptable. Contractor shall use three types of high-quality paint:

- a) a high-quality matt outdoor façade paint (containing no lead or mercury) for outdoor stucco and concrete walls;
- b) a water based semi-gloss Latex washable paint (containing no lead or mercury) for indoor dry and stucco walls;
- c) a semi-gloss enamel paint for metal surfaces (preferable 3 in 1 type of paint).

2.6.5.GTM/COR has to approve paint selection in prior of using it.

2.6.6.Prepare a material list and purchase the materials required to complete the work prior the first day of work depicted on the schedule. Have the materials present at the work location prior the first workday.

2.7. Quality Assurance

- 2.7.1 The services being performed hereunder, and the supplies furnished will be inspected from time to time by the COR, or his/her authorized representatives, to determine that all work is being performed in a satisfactory manner, and that all supplies are of acceptable quality.
- 2.7.2 The Contractor shall be responsible for any countermeasures or corrective action, within the scope of this contract, which may be required by the Contracting Officer as a result of such an inspection.

3. Attachment B “Total Area to be Repaired” is hereby revised to read as follows:

ATTACHMENT B- TOTAL AREA TO BE REPAIRED

It is the responsibility of the contactor to verify the numbers.

Approximately estimated area to be repaired and repainted:

Interior walls - **700** sq. m

Wooden shield for the wall - **30** sq. m

Exterior walls – **20** sq. m

Number of ceiling tiles – around **15** pieces

Handrails – approx. **11** sq. m.

Stainless steel angles – approx. **18** m

Aluminum angles – approx. **370** m