

STATEMENT OF WORK

Background:

The Bureau of International Narcotics and Law Enforcement assist the Government of Ukraine in improving its law enforcement agencies' effectiveness. To support the CND NPU (Counter Narcotics Department of the National Police of Ukraine) project a vendor is required to provide printers and cartridges.

Work to be done:

The equipment is required to be purchased within two month term after contract award.

Equipment requirements:

The equipment must be new and officially imported to Ukraine. The vendor should provide minimum 1 year or 2 years warranty depending on items listed in the SOW (plus additional 12 months of repairing support service) with ability to fix it locally (in Ukraine).

Deadline: Requested items should be delivered to US Embassy in Ukraine, 4 Sikorskiy Str., no later than June 30, 2019.

VOLTAGE, FREQUENCY AND PLUG REQUIREMENTS:

All devices must be compatible with standard Ukrainian voltage (220-230 volts), support 50 Hz current frequency and have C (European) or F (Schuko) plug type.

1. Printer Canon i-SENSYS LBP6030B (8468B006) + USB cable (BRAND NAME or equal).**Quantity - 10****Specifications:**

Print resolution	600x600 dpi or more
Minimum Printing technology	Laser printing (b / w)
Type of the device	Printer
Image resolution of the printer / MFP	2400*600 dpi
Colors	1 black
Format and paper density	A4 / B5 / A5 / LGL / LTR / EXE / 16K paper format / Custom COM10 / Monarch / C5 / DL (width 76 ~ 216 mm x length 188 ~ 356 mm) Paper density Universal tray: 60 ~ 163 g / m
Print speed	Min 18 pages (A4) a min or more
Supported Operating Systems	Windows 8.1 / 8 / 7/ Vista / XP / Server 2012 / Server 2012 R2 / Server 2008 / Server 2008 R2 / Server 2003 / Mac OS X 10.6 / Linux / Citrix (FR2)
Compatible cartridges	Black Canon 725 (included)
Interface	1 x USB 2.0 Hi-Speed
Equipment	Printer, Cartridge, USB-cable, documents, warranty
Warranty	Min 1 year, required service/maintenance in Ukraine

2. CANON 725 (3484B002) Compatible with CLIN 1 (brand name or equal)**Quantity - 20****Specifications:**

Color	Black
Compatible with CLIN 025	Is required
Resource	Min 1600 pages

3. Printer HP LaserJet Pro M426fdw with Wi-Fi (F6W15A) + USB cable (brand name or equal)**Quantity - 12****Specifications:**

Print resolution	600x600 dpi or more
Minimum Printing technology	Laser printing (b / w)
Type of the device	MFU
Image resolution of the printer / MFP	Printing: 600 x 600 dpi or more Copying: 600 x 600 dpi or more Scanning: до 1200 x 1200 dpi or more
Minimum Network Interfaces	Wi-Fi Ethernet
Duplex	Yes
Colors	1 black or more
Paper Size and Weight	Tray 1: A4, A5, A6, B5 (JIS), 10 x 15 cm, postcards (JIS), envelopes (ISO DL, ISO C5, ISO B5); Tray 2, additional tray 3: A4, A5, A6, B5 (JIS), 10 x 15 cm, postcards (JIS), envelopes (ISO DL, ISO C5, ISO B5);

	Supported Media Density: Tray 1: 60 ~ 176 g / m ² (up to 220 g / m ² for postcards and glossy HP photo papers for color laser printing); Tray 2, additional tray 3: 60 ~ 163 g / m ² (up to 176 g / m ² for postcards);
Built-in fax	Yes
Print speed	Min 40 ppm or more First page output time: 5.4 seconds or less
LCD Monitor	3 "color touchscreen graphic display or more
Printing without a computer	Printing from mobile devices
Supported Operating Systems	Windows versions: Windows 8 and 8.1 (32-bit and 64-bit versions), Windows 7 (32-bit and 64-bit versions), Windows Vista (32- and 64-bit versions), Windows XP (32-bit) (SP2 and higher) Versions of Mac OS: Mac OS v10.8 Mountain Lion, v10.9 Mavericks, v10.10 Yosemite OS for mobile devices: iOS, Android, Windows 8 RT Other supported OS: Linux, RED HAT Enterprise Linux 5.0, SUSE Linux, Fedora, Ubuntu, Debian, HPUNIX 11 and Solaris 8/9
Compatible cartridges	HP 26A Black LaserJet Toner Cartridge (~3100 p), CF226A HP 26X Black LaserJet Toner Cartridge (~9000 p), F226X1
Power Consumption	583 W (printing) or less 9.1 W (readiness) or less 2.7 W (hibernation) or less 0.7 W (when off) or less Power consumption (TEC): 1.847 kWh / h per week or less
Interface	1 x USB 2.0 1 x Fast Ethernet 10 / 100Base-TX network port USB host
Minimum additional features	NFC Scan file format: PDF, PDF with search function, JPG, RTF, TXT, BMP, PNG, TIFF The maximum size of the scanning area (tablet): 216 x 297 mm The maximum size of the scanning area (ADF): 216 x 356 mm Scan speed (normal, A4): up to 26 ppm black and white, up to 21 ppm in color mode Copy speed (normal mode): up to 40 copies / min Processor: 1200 MHz Standard memory: 256 MB The maximum amount of memory: 256 MB Fax resolution: up to 300 x 300 dpi Transmission speed of faxes: 33.6 Kbps
Minimum Contents of delivery	HP LaserJet Pro M426fdn (brand name or equal) Preinstalled initial HP Laser cartridge CF226A (resource approx. 3100 pages) The accompanying documentation (hardware installation guide), software drivers and documentation on CD-ROMs

	Power cable Telecom cable USB Cable
Warranty	Min 1 year , required service/maintenance in Ukraine

4. Cartridge Static Control HP LJP CF226X (26X) 9.2k (002-01-SF226X) Compatible with CLIN 3 (brand name or equal)

Quantity - 28

Specifications:

Color	Black
Compatible with CLIN 3	Is required
Resource	Min 9200pages

5. Printer HP LaserJet M436dn (2KY38A) + USB cable (brand name or equal)

Quantity - 3

Specifications:

Print resolution	1200x1200 dpi or more
Minimum Printing technology	Laser printing (b / w)
Type of the device	MFU
Image resolution of the printer / MFP	Printing optical: 600 x 600 dpi or more Upgraded: 1200 x 1200 dpi
Minimum Network Interfaces	Ethernet
Duplex	Yes
Colors	1 black
Paper Size and Weight	A3, A4, A5, B4, B5, Oficio 216 x 340, 8K, 16K Paper Weight: Tray 1: 60–163 g / m ² ; Tray 2: 60–110 g / m ² ; optional tray 3: 60–110 g / m ² ; optional ADF: 60–195 g / m ² Paper weight, ADF support: optional ADF: 60–128 g / m ²
Print speed	Min 23 ppm First page output time: 8.8 seconds or less
LCD Monitor	4-line LCD display
Print Area	Tray 1: minimum: 125 x 102 mm, maximum: 306 x 914 mm Tray 2: Minimum: 148 x 182 mm, Maximum: 297 x 432 mm Optional tray 3: minimum: 148 x 172 mm, maximum: 297 x 432 mm
Supported Operating Systems	Windows 10, 8.1, 8, 7, Vista, XP: (32/64-bit versions), Linux
Compatible cartridges	CF256A: Original HP LaserJet 56A Toner Cartridge (ISO 7400 page yield) CF256X: Original HP LaserJet 56X Extended Capacity Toner Cartridge, Black (ISO 13700 page yield) CF257A: Original HP LaserJet 57A Photo Drum Cartridge (80000 pages)
Interface	1 x USB 2.0
Minimum additional features	Load (per month, A4 format): Up to 50,000 pages Memory capacity: Min 128 MB Feed tray: tray 1: 100 sheets; tray 2: 250 sheets

	250-sheet receiving tray Scanner: Scanner Type: D-CIS Scan file format: JPG, TIFF, PDF Scan resolution, optical: up to 600 dpi Maximum scan size: 297 x 432 mm Maximum scan area size (ADF): 297 x 432 mm The minimum size of the scan area (automatic document feeder): 140 x 130 mm Scan speed (normal mode, A4 size): up to 30 ppm Copier: Copy speed: up to 23 copies / min Copy resolution: up to 600 x 600 dpi Set to reduce / increase copies: from 25 to 400% Maximum number of copies: up to 999 copies
Warranty	Min 1 year , required service/maintenance in Ukraine

6. Cartridge HP LJ 56X BLACK 12.3K (CF256X)Compatible with CLIN 5 (brand name or equal)

Quantity - 6

Specifications:

Color	Black
Compatible with CLIN 5	Is required
Resource	Min 13 700pages

7. Printer HP Color LaserJet Pro M477fnw with Wi-Fi (CF377A) + USB cable (brand name or equal)

Quantity - 4

Specifications:

Print resolution	600 x 600 dpi or more
Minimum Printing technology	Laser printing (color)
Type of the device	MFU
Minimum Network interface	Wi-Fi Ethernet
Image resolution of the printer / MFP	Printing optical: 600 x 600 dpi or more Copying: 600 x 600 dpi Scanning: 1200 x 1200 dpi
Colors	Min 4
Paper Size and Weight	Tray 1: A4, A5, A6, B5 (JIS), 10 x 15 cm, postcards (JIS), envelopes (ISO DL, ISO C5, ISO B5); Tray 2, optional tray 3: A4, A5, A6, B5 (JIS), 10 x 15 cm, postcards (JIS), envelopes (ISO DL, ISO C5, ISO B5); Supported media density: Tray 1: 60 ~ 176 g / m ² (up to 220 g / m ² for postcards and glossy HP photo paper for color laser printing); Tray 2, optional tray 3: 60 ~ 163 g / m ² (up to 176 g / m ² for postcards);
Print speed	Min 27 ppm First page output time: 9.8 seconds or less
Fax	Yes
LCD Monitor	4.3" LCD display

Printing without a computer	Printing from mobile devices
Supported Operating Systems	Windows versions: Windows 8 and 8.1 (32-bit and 64-bit versions), Windows 7 (32- and 64-bit versions), Windows Vista (32- and 64-bit versions), Windows XP (32-bit version) (SP2 and above) Mac OS Versions: Mac OS X v10.6 Leopard, v10.7 Lion, v10.8 Mountain Lion, v10.9 Mavericks Mobile OS: iOS, Android, Windows 8 RT Other supported OS: Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 (you need a pre-created package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer), HPUX 11 and Solaris 8/9
Compatible cartridges	HP 410A Black (~ 2300 pages) CF410A/HP 410X Black (~ 6500 pages) CF410X HP 410A Cyan (~ 2300 pages) CF411A/HP 410X Cyan (~ 5000 pages) CF411X HP 410A Yellow (~ 2300 pages) CF412A/HP 410X Yellow (~ 5000 pages) CF412X HP 410A Magenta (~ 2300 pages) CF413A/HP 410X Magenta (~ 5000 pages) CF413X
Interface	1 x USB 2.0 1 x Fast Ethernet 10 / 100Base-TX network port
Minimum additional features	NFC HP ePrint function Scan file format: PDF, PDF with search function, JPG, RTF, TXT, BMP, PNG, TIFF Maximum Scan Area (Tablet): 216 x 297 mm Maximum Scan Area (ADF): 216 x 356 mm One-way scan: 26 ppm (black and white scan), 21 ppm (color scan) Processor: 1200 MHz Standard memory: 256 MB Maximum storage capacity: 256 MB Fax resolution: up to 300 x 300 dpi Fax transfer speed: 33.6 kbps
Warranty	Min 1 year , required service/maintenance in Ukraine

8. Cartridge HP 410A Black CF410A Compatible with CLIN 7 (brand name or equal)

Quantity - 8

Specifications:

Color	Black
Compatible with CLIN 7	Is required
Resource	Min 2300 copies

9. Cartridge HP CF412A Yellow CF410A Compatible with CLIN 7 (brand name or equal)

Quantity - 8

Specifications:

Color	Yellow
Compatible with CLIN 7	Is required
Resource	Min 2300 copies

10. Cartridge HP CF413A Magenta CF410A Compatible with CLIN 7 (brand name or equal)

Quantity - 8

Specifications:

Color	Magenta
Compatible with CLIN 7	Is required
Resource	Min 2300 copies

11. Cartridge HP CF411A Cyan CF410A Compatible with CLIN 7 (brand name or equal)

Quantity - 8

Specifications:

Color	Cyan
Compatible with CLIN 7	Is required
Resource	Min 2300 copies

12. Printer Epson L1800 with CISS and Lucky Print Inks (BRAND NAME or equal)

Quantity - 1

Specifications:

Print resolution	5760 x 1440 dpi or more
Minimum Printing technology	Inkjet
Min drop size (pl)	1.5
Print Speed (ppm)	15
Printing ability on the envelope or photo paper	Yes
Colors	Min 6
Printing Format	A3
Warranty	Min 1 year , required service/maintenance in Ukraine

13. Photo inks Epson L1800 Lucky Print (6*100 ml) Compatible with CLIN 12 (brand name or equal)

Quantity - 10

Specifications:

Colors	Min Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta
Compatible with CLIN 12	Is required
Capacity	100 each bottle

14. MFU Epson Workforce WF-7620 with original inks (brand name or equal)

Quantity - 1

Specifications:

Number of colors	4 or more
Print format	A3+, A3
Warranty	Min 12 month in Ukraine with ability to provide service in Ukraine
Printing without a PC	Yes
Connection type	Ethernet, USB, Wi-Fi
Printing technology	inkjet

Copy	Yes
Scanner	Yes
Fax	Yes
Printing resolution	4800 x 2400 dpi or more
B / W printing speed	39 p/m or less
Color printing speed	37 p/m or less
Borderless printing	Yes
Two-sided printing	Yes
The minimum size of a drop	2.8 pl or more
Copy resolution	1200x2400 dpi or more
Copier Features	two-sided copying, scaling (25 - 400%), up to 99 copies per cycle
Color copying	yes

15. Cartridge EPSON WF-7620 BLACK XXL (C13T27914022) compatible with CLIN 14 (BRAND NAME or equal).

Quantity - 10

Specifications:

Color	Black
Compatible with CLIN 14	Is required
Resource	Min 2200 copies

16. Cartridge set EPSON WF-7620 BUNDLE C, M, Y XL (C13T27154022) compatible with CLIN 14 (BRAND NAME or equal).

Quantity - 10

Specifications:

Colors	Cyan, Magenta, Yellow
Compatible with CLIN 14	Is required
Resource	Min 1100 copies